5ub07

5

10

15

1. (Amended Twice) A method [for identifying telephone numbers within] performed on an electronic document containing text-based information during a communication session, comprising the steps of:

parsing said text-based information within said electronic document;

recognizing a <u>text-based</u> telephone number [a] contained within <u>said text-based</u> information within said parsed electronic document, said <u>text-based</u> telephone number comprising a plurality of number[s] <u>symbols</u> and at least one text symbol interspersed with <u>said plurality of number[s] symbols</u>; and

[converting] <u>adding code to convert</u> said recognized <u>text-based</u> telephone number to [an] <u>a selectable</u> iconic [representation] <u>telephone number</u>.

(Amended Twice) The method of Claim 1, further comprising the steps of: transparently disconnecting from said communication session upon selection of said selectable iconic representation of said recognized text-based telephone number; and

automatically dialing said selected recognized text-based telephone number to initiate a telephone [phone] call session.

(Amended) The method of Claim 1, wherein said parsing step [comprising] comprises the step of:

applying a parsing algorithm to said electronic document to pattern-recognize a <u>text-based</u> telephone number contained therein.

73 25 47 repri

(Amended Twice) The method of Claim 1, further comprising the step of:
transmitting or displaying said electronic document with said iconic representation of said recognized text-based telephone number to a complementary device.

(Amended) The method of Claim 1, wherein said electronic document is a Web page, and further comprising the steps of:

converting an HTML code representation of [a] said Web page; and adding a representation that iconifies said recognized text-based telephone number.

9. (Amended Twice) The method of Claim 1, wherein said <u>selectable</u> iconic [representation] <u>telephone number</u> of said recognized <u>text-based</u> telephone

4

number is identified by one of a button surrounding said recognized <u>text-based</u> number, font appearance, underlining, or highlighting.

- 10. (Amended Twice) The method of Claim 1, wherein all recognized <u>text-based</u> telephone numbers are each converted to an iconic representation.
- 11. (Amended Twice) The method of Claim 1, wherein recognized text-based telephone numbers meeting specific criteria are each converted to iconic representations.

(Amended Twice) The method of Claim 4, wherein said step of applying a parsing algorithm comprises the steps of:

developing a set of Picture Formats for the patterns of phone numbers; reading an accessed electronic document;

checking every character in [the text of] said text-based information within said electronic document to determine if said character is a numeric character;

applying a pattern-recognition algorithm to sequentially check a character following an identified [number] <u>numeric character</u> to determine if said following character is any of numeric or an interspersed text or punctuation character;

caching a series of consecutive [numbers] <u>identified said numeric characters;</u> and

comparing said [caches] <u>cached</u> series to said Picture Formats; wherein a matching format indicates <u>a text-based</u> telephone number.

13. (Amended Twice) The method of Claim 2, wherein said step of transparently disconnecting from said communication session upon selection of said iconified <u>text-based</u> telephone number and calling said telephone number comprises the steps of:

selecting said <u>selectable</u> iconic representation of said recognized <u>text-based</u> telephone number in a display of an access device;

said access device initiating a telephone call to said selected number if a telephone line or sufficient bandwidth is available;

said access device transparently disconnecting from said session if a telephone line is not available, and thereupon initiating a telephone call to said selected telephone number;

said access device recognizing the termination of said telephone call; and

Sub (2) 25/

5

15

20

30

35

Attorney Docket No. INFG0002

said access device optionally transparently re-connecting to said eemmunication session.

(Amended Twice) The method of Claim 1, further comprising the step of:
automatically storing said <u>selectable</u> iconic representation of said recognized text-based telephone number in an address book.

Sub 10 10

15. (Amended) A method for recognizing and accessing telephone numbers from a Web page, comprising the steps of:

parsing the HTML code of a Web page accessed during an Internet session; applying a parsing algorithm to [the text of] text-based information within said Web page to pattern-recognize a text-based telephone number contained therein; converting said HTML code to a representation of said Web page;

adding coding to said representation of said Web page [coding] to [iconify] produce a selectable telephone number icon associated with said recognized text-based telephone number;

transmitting said <u>representation of said</u> Web page with said [iconified] <u>selectable</u> telephone number icon to an access device for display;

transparently disconnecting from said Internet session upon selection of said [iconified] selectable telephone number icon and calling said telephone number;

recognizing the termination of said telephone call; and optionally transparently re-connecting to [the] said Internet.

16. (Amended) The method of Claim [14] 15, wherein said step of applying said parsing algorithm comprises the steps of:

developing a set of Picture Formats for the patterns of <u>text-based</u> phone numbers;

reading an accessed HTML document using a software program on a server; checking every character in the [text] text-based information of said HTML document to determine if [it] said checked character is a numeric character;

using a pattern-recognition algorithm to sequentially check a character following an identified number to determine if said character is any of numeric or an interspersed text or punctuation character;

caching a series of consecutive [numbers] <u>numeric characters</u>; and comparing said caches series to said Picture Formats; wherein a matching format indicates <u>a text-based</u> telephone number.

N6²⁰

25

30

35

- Kb/ 5

- 17. (Amended) The method of Claim 15, wherein said iconified telephone number is identified by one of a button surrounding the <u>text-based telephone</u> number, font appearance, underlining, or highlighting.
- 18. (Amended) The method of Claim 15, wherein all recognized text-based telephone numbers are iconified.
- 19. (Amended) The method of Claim 15, wherein <u>text-based</u> telephone numbers meeting specific criteria are iconified.

(Amended) The method of Claim 15, further comprising the step of automatically storing said [iconified] selectable telephone number icon and related information in an address book.

21. (Amended) A system for recognizing and accessing a <u>text-based</u> telephone number[s] from a Web page, comprising:

a module for parsing the HTML code of a Web page accessed during an Internet session, wherein said Web page includes text-based information; and

a parsing algorithm used by said module to pattern-recognize [a] <u>said text-based</u> telephone number contained in [the text] <u>said text-based information</u> of said <u>Web-page</u>.

• (Amended) The system of Claim a_1 , further comprising:

a conversion module used to convert said parsed HTML code to a representation of said Web page; and

an iconifying module used by said conversion module to add to said representation coding to iconify said recognized text-based telephone number.

Cont.

20